

## Pricing Sheet


# FORGED CARBON STEEL FITTINGS & OUTLETS

Meets ASTM A105N, ASME  
A105N and ANSI B16.11  
Specifications

Normalized for Enhanced  
Hardness, Strength &  
Machinability



LEARN MORE



# 800.726.9800

Follow us on      

[www.meritbrass.com](http://www.meritbrass.com)  
[www.mbwebxpress.com](http://www.mbwebxpress.com)  
[contactus@meritbrass.com](mailto:contactus@meritbrass.com)

Merit Brass Headquarters Has An ISO 9001:2015 Registered Quality Management System

## Forged Carbon Steel Fittings

3000 LB. Threaded

Part #	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
C3501	90° Elbows	43.02	43.02	43.02	32.97	41.37	61.48	116.82	150.71	183.03	541.80	780.50	1971.32
C3502	45° Elbows	54.62	54.62	54.62	53.84	62.20	84.71	117.10	168.10	231.96	541.94	881.06	1611.66
C3503	Street Elbows	117.01	64.38	62.06	62.06	78.42	104.65	189.53	229.11	330.45	—	—	—
C3506	Tees	52.25	52.25	52.25	47.05	63.56	83.69	162.40	189.50	245.05	664.07	1238.34	2063.29
C3506	Reducing Tees	—	—	—	—	125.95	167.37*	324.85	378.94*	490.10	—	—	—
C3510	Cross	—	—	—	132.97	175.46	246.90	327.13	435.87	587.57	—	—	2809.93
C3511	Couplings	16.75	16.75	16.75	13.78	17.92	31.20	52.01	67.25	83.92	207.69	392.55	736.35
C3511H	Half Couplings	8.70	8.70	9.04	8.39	12.03	16.52	29.87	39.73	53.40	109.49	246.27	430.28
C3512	Reducing Couplings	—	26.30	27.42	27.42	32.52	42.36	74.20	80.58	116.85	465.02	614.98	941.57
C3514	Hex Bushings	—	10.07	10.07	10.15	12.45	20.29	33.07	38.11	57.22	179.41	277.51	601.29
C3516	Caps	16.31	16.17	16.17	15.72	21.91	33.62	54.12	64.68	93.12	256.39	472.32	595.98
C3517	Cored Square Head Plugs	—	—	—	8.01	9.99	15.30	31.54	36.00	56.87	146.31	244.87	386.86
C3517A	Solid Square Head Plugs	7.30	7.30	7.64	—	—	—	—	—	—	—	—	—
C3517H	Hex Head Plugs	6.11	6.11	6.36	6.36	11.81	16.64	28.25	40.20	62.37	140.65	256.93	422.84
C3517R	Round Head Plugs	14.47	13.75	13.75	10.57	12.45	18.25	42.12	45.27	67.36	—	—	—
C3587	Unions	67.62	67.62	68.83	58.46	71.57	93.50	148.33	176.88	239.83	594.36	699.73	1335.54

## Forged Carbon Steel Fittings

3000 LB. Socket Weld

Part #	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CSW3501	90° Elbows	58.45	58.45	58.45	32.59	33.94	43.56	83.74	97.29	143.09	406.80	702.62	1855.43
CSW3502	45° Elbows	58.76	58.76	58.76	43.43	50.48	66.04	90.56	110.98	178.47	468.60	778.76	1534.73
CSW3506	Tees	64.58	64.58	64.58	40.39	49.40	67.08	103.08	136.58	197.22	566.41	1354.31	2179.30
CSW3506	Reducing Tees	—	—	—	—	98.77	134.16	206.17	273.21	394.39	—	—	—
CSW3510	Cross	—	—	—	146.60	151.45	164.09	222.62	320.57	461.86	—	—	—
CSW3511	Couplings	44.59	37.14	37.14	17.15	22.18	24.46	43.40	47.99	76.64	171.41	385.25	579.34
CSW3511H	Half Couplings	41.76	38.94	38.94	19.41	19.81	26.46	53.45	53.28	77.22	706.30	752.54	946.17
CSW3512	Reducing Couplings	—	—	—	—	60.94	95.12*	108.69	116.51	128.81	—	—	—
CSW3516	Caps	35.53	35.53	35.53	21.59	25.18	38.20	45.01	62.52	96.43	524.37	541.90	806.96
CSW3580	Inserts	—	—	—	33.07	40.37	40.37	51.86	64.80	88.69	—	768.17	—
CSW3587	Unions	79.64	79.64	79.64	66.76	77.88	100.32	161.85	175.28	252.34	636.19	766.95	1679.14

## Forged Carbon Steel Fittings

2000 LB. Threaded

Part #	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
C2501	90° Elbows	—	30.06	34.77	30.47	33.22	42.78	85.57	104.41	143.18	376.84	581.88	1907.87
C2502	45° Elbows	—	44.93	46.57	44.28	49.60	58.05	91.82	115.56	180.19	481.79	777.95	1956.54
C2506	Tees	—	38.44	42.91	36.90	50.01	69.46	122.88	148.71	185.92	471.39	812.49	2014.93
C2510	Cross	—	—	—	115.77	128.79	151.21	276.28	338.93	464.00	—	—	—

## Forged Carbon Steel Fittings

6000 LB. Threaded

Part #	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
C6501	90° Elbows	—	—	—	—	—	—	—	—	471.88	—	1979.95	2887.88
C6502	45° Elbows	—	—	—	—	—	—	—	—	476.55	—	1899.86	2887.88
C6506	Tees	—	—	—	—	—	—	—	—	656.08	—	2185.88	2975.13

## Outlets

Part #	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
C3590	Threaded (3000 LB.)	—	17.56	17.56	17.56	20.22	23.56	37.37	37.37	42.53*	142.72	173.07	321.82
CSW3590	Socket Weld (3000 LB.)	—	—	—	21.80	22.09	24.52	40.93	40.93	46.52*	203.81	275.22	407.97
C04490	Buttweld	—	—	—	36.37	38.36	40.09	47.63	47.63	48.04	110.01	120.41	152.16

## Threaded x Socket Weld Couplings 3000 LB.

Part #	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CTSW3511	Threaded X Socket Weld	—	—	—	32.51	36.56	50.05	83.44	95.37	131.40	550.46	728.07	1111.26

\*Certain fittings in these size categories carry higher list prices and others carry no list price and are priced on application (POA).

We reserve the right to change quantities to standard packaging on staple items unless you specifically state "do not increase." For the Master Carton (Box) Quantity List, please visit [meritbrass.com/pricesheets](http://meritbrass.com/pricesheets).

Some items not shown may be available upon request. Some items and sizes may be discontinued when stock is depleted and may require a minimum order quantity. Certain inventory limitations apply. Price on application (POA). All prices subject to change without notice.

Every precaution has been taken in preparing this sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. For list prices in Excel, please download by logging onto [meritbrass.com/pricesheets](http://meritbrass.com/pricesheets). Contact our Sales Team for details at [sales@meritbrass.com](mailto:sales@meritbrass.com).

## LOCATIONS

**SPARKS DISTRIBUTION CENTER**  
200 Vista Boulevard Suite #106  
Sparks, NV 89434


**LONG BEACH PIPE DEPOT**  
2396 E. Artesia Blvd  
Long Beach, CA 90805

**DALLAS DISTRIBUTION CENTER**  
10614 King William Drive  
Dallas, TX 75220

**CLEVELAND HEADQUARTERS**  
One Merit Drive/PO Box 43127  
Cleveland, OH 44143


**BIRMINGHAM DISTRIBUTION CENTER**  
220 Oxmoor Court  
Birmingham, AL 35209

**HOUSTON DISTRIBUTION CENTER**  
4680 S. Sam Houston Pkwy W, Suite 120  
Houston, TX 77053




## SHIPPING TIMES

### UPS



1 Day 2 Days 3 Days

### FedEx



1 Day 2 Days 3 Days 4 Days

\*FedEx is Merit's Primary Carrier

LEARN MORE



**800.726.9800**

Follow us on [f](#) [X](#) [in](#) [@](#) [v](#) [p](#)

[www.meritbrass.com](http://www.meritbrass.com)  
[www.mbwebxpress.com](http://www.mbwebxpress.com)  
[contactus@meritbrass.com](mailto:contactus@meritbrass.com)

Merit Brass Headquarters Has An ISO 9001:2015 Registered Quality Management System