

Equal Tee	PxP	хP
	Job Name	
	Job Location	
	P.O.#	
	Engineer	
	Contractor	
	Wholesaler	
	Merit Associate	

CarbonPress® Equal Tee P x P x P is available in sizes 1/2" - 2" with an EPDM or HNBR sealing element.

- FIRST TO MARKET Visual Indicator Press Ring® (VIPR®) facilitates immediate identification of un-pressed connections.
- Leak Before Press (LBP) in addition to the VIPR®, all sizes have leak before press technology, which guarantees a visual indication if the fitting is not pressed.
- Surface Protection: Corrosion Resistant Zn-Ni Plating.
- Grab Ring Deforms and Grips Outside Diameter of Pipe.
- Applications: Hydronic Heating, the Conveyance of Fluids, Gases, Oils, and Low-Pressure Steam.

## CarbonPress® Operational Parameters:

EPDM working pressure range from full vacuum to 250 psi (17.2 bar) for water. Working pressure range from full vacuum to 125 psi (8.6 bar) for gas.

## CarbonPress® Certifications

IAPMO Z 1117 (EPDM). IAPMO/ANSI LC 4/CSA 6.32 (HNBR).

## CarbonPress® Codes and Standards

IAPMO Z 1117, IAPMO/ANSI LC 4/CSA 6.32, ASME B31.1, B31.3, B31.9, CSA B149.1, UPC, and UMC.

Equal Tee P x P x F					
Item Number		Nominal	۱ (in)	l (in)	
EPDM	HNBR	Size 1	A (in)	L (in)	
MB90270	MB90271	1/2"	0.89	1.91	
MB90275	MB90276	3/4"	1.02	2.20	
MB90280	MB90281	1"	1.18	2.54	
MB90285	MB90286	11/4"	1.48	3.29	
MB90290	MB90291	1½"	1.61	3.46	
MB90295	MB90296	2"	1.93	3.86	

