

Pricing Sheet

STAINLESS STEEL FITTINGS

Merit does carry 150# MSS Pattern Flanges. For list price and discount details, please contact our Merit Inside Sales Representatives at sales@meritbrass.com.

150 LB. Standard
Pattern Cast Threaded

150 LB. MSS SP-114 Pattern
(Threaded & Socket Weld)

1000 LB. Threaded
Barstock



LEARN MORE



800.726.9800

Follow us on [f](#) [X](#) [in](#) [@](#) [v](#) [p](#)

www.meritbrass.com
www.mbwebxpress.com
contactus@meritbrass.com

FEATURES & BENEFITS

Since 1937, it has been our mission to provide you, our customers, with competitive and consistent, high quality products and services. For both you and your customers, each application can rely on Merit's quality for consistent ease of installation. Strong, partnering relationships with our vendors instills confidence that the products you receive will be to the standards you have come to enjoy from Merit. Vendors and their products participate in Merit's extensive quality assurance program as part of our commitment to quality. Our ISO Registered Quality System deploys procedures and processes with a commitment to continuous improvement whereby those services are married to your needs and capabilities.

Benefits of Stainless Steel

- Offers enhanced corrosion resistance, strength, durability and ductility
- Prevents contamination of the product from small particles, rust and scale
- Cleanliness is maintained in the product being transported
- Resists corrosive attack from hundreds of industrial & chemical solutions/mixtures
- Greater strengths at elevated temperatures
- Retains lustrous appearance indefinitely
- Lifetime expectancy is much greater than other metals

Stainless Steel 150# Fittings

- Type 304 and 316
- Available in ISO Pattern or MSS SP-114
- MSS SP-114 certified to ASTM A351
- Low lead certified through NSF International®
- Offers low cost, corrosion resistant material with ease of installation

Stainless Steel Barstock Fittings

- Meets ASTM A276 or ASTM A182 requirements
- Rated for 1000 PSIG

Stainless Steel 150# MSS Flanges

- Type 304 and 316
- Available in Blind, Slip-On or Threaded
- Meets ASTM A351 requirements
- CF8M & CF8 material
- MSS SP-51
- NPT Threaded

Stainless Steel Applications

- Water
- Food & Drink
- Oil & Gas
- Chemical
- Power Generation
- Pharmaceutical & Medical
- Automotive & Transportation
- Commercial & Residential
- Architecture & Construction



TYPE 304. Threaded & Socket Weld Stainless Steel

150 LB. Cast Fittings

Description	Size I.P.S.											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1¼"	1½"	2"	2½"	3"	4"
90° Elbow	14.39	14.19	17.62	18.23	25.93	37.20	65.40	85.37	106.77	250.86	305.02	595.24
	25	25	25	25	25	10	5	5	5	4	2	1
45° Elbow	18.19	18.19	21.01	23.09	34.08	40.70	62.71	77.53	108.05	283.09	390.16	694.33
	25	25	25	25	25	10	5	5	5	4	2	1
90° Street Elbow	19.97	19.51	24.03	28.28	38.37	66.01	97.74	114.52	155.12	314.99	417.85	813.60
	25	25	25	25	25	10	10	5	5	4	2	1
Tee	19.28	18.48	23.90	24.51	39.02	49.39	100.15	124.25	157.18	326.63	470.75	850.24
	25	25	25	25	25	10	5	5	3	3	2	1
Cross	33.01	33.01	39.35	48.46	82.00	119.97	142.46	176.47	252.65	692.74	748.37	1215.78
	25	25	25	25	10	5	5	5	3	2	1	1
Industry STD Straight Coupling (P/N Prefix KP4)	7.84	8.93	10.70	14.61	21.08	32.02	51.60	61.25	82.24	189.18	233.37	362.75
	25	25	25	25	25	25	10	10	5	3	2	2
Traditional ISO 49 Heavy Pattern Straight Coupling (P/N Prefix K4)	11.10	12.63	15.15	20.69	29.82	45.31	73.00	86.66	119.12	267.61	330.10	513.13
	25	25	25	25	25	25	10	10	5	3	2	2
Straight Coupling - MSS (P/N Prefix SWM4 & M4)	11.10	12.63	15.15	20.69	29.82	45.31	73.00	86.66	119.12	267.61	330.10	513.13
	25	25	25	25	25	25	10	10	5	3	2	2
Industry STD Half Coupling (P/N Prefix KP4)	5.71	6.23	6.84	9.13	12.36	15.64	25.81	32.74	44.43	108.41	146.82	230.73
	25	25	25	25	25	25	10	10	5	5	4	5
Traditional ISO 49 Heavy Pattern Half Coupling (P/N Prefix K4)	8.08	8.83	9.67	12.92	17.50	22.13	36.50	46.31	62.87	153.37	207.69	326.38
	25	25	25	25	25	25	10	10	5	5	4	5
Half Coupling - MSS (P/N Prefix M4)	8.08	8.83	9.67	12.92	17.50	22.13	36.50	46.31	62.87	153.37	207.69	326.38
	25	25	25	25	25	25	10	10	5	5	4	5
Reducing Coupling	—	15.04	16.70	15.94	23.58*	32.26*	47.05	67.08*	110.75*	237.40	322.61	534.37
	—	25	25	25	25	25	10	10	5	3	4	2

Numbers in orange indicate standard carton (box) quantities.

*Certain fittings in these size categories carry higher list prices and others carry no list price and are priced on application (POA).

Above MSS SP-114 pattern fittings each carry a separate discount structure in both the 150# MSS SP-114 threaded fittings and 150# MSS SP-114 socket weld fittings. They may also have variations in list pricing from their standard pattern counterpart. Contact a sales associate for further details. Above standard pattern 150# cast threaded fittings each carry a separate discount structure.

We reserve the right to change the quantities to standard packaging on staple items unless you specifically state "do not increase." For the Master Carton (Box) Quantity List, please visit meritbrass.com/pricesheets.

Some items not shown may be available upon request. Some items and sizes may be discontinued when stock is depleted and may require a minimum order quantity. Certain inventory limitations may apply. Priced on application (POA). All prices subject to change without notice.

Every precaution has been taken in preparing this sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. For list prices in Excel, please download by logging onto meritbrass.com/pricesheets. Contact our Sales Team for details at sales@meritbrass.com.

TYPE 304. Threaded & Socket Weld Stainless Steel

150 LB. Cast Fittings

Description	Size I.P.S.											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1¼"	1½"	2"	2½"	3"	4"
Hex Bushing	—	9.26	10.24*	12.80*	18.97*	25.92*	46.37*	54.87*	83.69*	141.82*	217.33*	377.32
	—	25	25	25	25	25	25	25	10	5	5	5
Cap	7.24	10.37	12.20	12.65	15.84	23.43	42.38	55.01	69.49	125.07	172.92	279.29
	25	25	25	25	25	10	10	10	5	7	8	4
Sq. Head Plug	6.22	7.36	9.83	13.84	16.88	21.06	42.38	50.00	59.16	111.47	138.99	290.05
	25	25	25	25	25	25	25	25	10	5	5	6
Hex Head Plug	6.89	6.80	8.52	13.22	16.86	28.61	45.92	49.69	68.62	121.63	166.87	333.23
	25	25	25	25	25	10	10	10	10	5	5	4
Locknut	29.06	29.06	29.06	28.73	35.05	39.76	82.27	82.32	90.56	113.17	143.70	205.97
	25	25	25	25	25	10	10	10	10	5	5	12
Union	46.69	47.76	48.67	50.62	64.15	96.74	169.42	188.69	225.91	597.49	752.44	1221.30
	25	25	25	25	25	10	5	5	4	4	2	1
Welding Spud	35.26	34.89	42.57	53.13	57.61	65.49	67.90	73.46	79.98	112.82	129.35	230.43
	25	25	25	25	25	10	10	10	10	5	5	5
Union Elbow (P/N Prefix KFM415)	—	67.25	93.10	132.79	142.86	224.58	347.23	391.90	598.48	—	—	—
	—	10	25	10	10	5	10	10	1	—	—	—
"True" Wye (P/N Prefix KMC422)	23.88	28.73	35.07	50.00	65.96	105.93	154.39	172.72	254.06	—	—	—
	25	25	25	25	25	10	5	5	3	—	—	—
Reducing 90° Elbow (P/N Prefix KMC401)	—	23.54	29.11	30.62	44.43	61.97	108.93	142.62	180.44	—	—	—
	—	25	25	25	25	10	5	5	5	—	—	—
Reducing Tee (P/N Prefix KMC406)	—	31.37	39.93	41.80*	65.61	83.94*	163.74	202.95	261.63*	—	—	—
	—	25	25	25	25	10	5	5	3	—	—	—
Hex Nipples (P/N Prefix KMM423)	12.11	21.78	28.73	39.95	52.81	73.60	115.31	131.36	154.68	253.94	307.56	—
	25	25	25	25	25	10	5	10	5	3	2	—
Reducing Hex Nipples (P/N Prefix KMM423)	—	24.20	31.60	44.37	58.66*	81.73	126.85	144.33	170.13	—	—	—
	—	25	25	25	25	25/10	10	10/5	10/5	—	—	—

Numbers in orange indicate standard carton (box) quantities.

*Certain fittings in these size categories carry higher list prices and others carry no list price and are priced on application (POA).

Above MSS SP-114 pattern fittings each carry a separate discount structure in both the 150# MSS SP-114 threaded fittings and 150# MSS SP-114 socket weld fittings. They may also have variations in list pricing from their standard pattern counterpart. Contact a sales associate for further details. Above standard pattern 150# cast threaded fittings each carry a separate discount structure.

We reserve the right to change the quantities to standard packaging on staple items unless you specifically state "do not increase." For the Master Carton (Box) Quantity List, please visit meritbrass.com/pricesheets.

Some items not shown may be available upon request. Some items and sizes may be discontinued when stock is depleted and may require a minimum order quantity. Certain inventory limitations may apply. Priced on application (POA). All prices subject to change without notice.

Every precaution has been taken in preparing this sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. For list prices in Excel, please download by logging onto meritbrass.com/pricesheets. Contact our Sales Team for details at sales@meritbrass.com.

TYPE 316. Threaded & Socket Weld Stainless Steel

150 LB. Cast Fittings

Description	Size I.P.S.											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1¼"	1½"	2"	2½"	3"	4"
90° Elbow	18.43	18.18	22.03	23.49	34.85	44.27	75.05	97.26	125.08	274.84	360.75	662.96
	25	25	25	25	25	10	5	5	5	4	2	1
45° Elbow	21.58	21.58	26.37	29.28	38.44	48.17	72.69	88.10	121.77	304.48	439.49	827.38
	25	25	25	25	25	10	5	5	5	4	2	1
90° Street Elbow	24.29	24.48	30.44	35.40	46.65	73.78	110.05	121.65	173.75	389.63	505.00	997.30
	25	25	25	25	25	10	10	5	5	4	2	1
Tee	22.54	22.29	29.87	30.45	44.92	56.05	113.51	137.73	176.09	395.81	564.95	920.42
	25	25	25	25	25	10	5	5	3	3	2	1
Cross	40.76	40.76	47.96	58.86	102.83	122.71	177.44	221.46	291.11	821.73	894.95	1450.13
	25	25	25	25	10	5	5	5	3	2	1	1
Industry STD Straight Coupling (P/N Prefix KP6)	10.37	10.37	12.18	17.54	25.27	37.22	59.19	70.32	97.14	229.99	283.47	437.78
	25	25	25	25	25	25	10	10	5	3	2	2
Traditional ISO 49 Heavy Pattern Straight Coupling (P/N Prefix K6)	14.17	14.17	16.65	23.92	34.49	50.83	80.81	96.04	132.63	313.99	387.05	597.69
	25	25	25	25	25	25	10	10	5	3	2	2
Straight Coupling - MSS (P/N Prefix SWM6 & M6)	14.17	14.17	16.65	23.92	34.49	50.83	80.81	96.04	132.63	313.99	387.05	597.69
	25	25	25	25	25	25	10	10	5	3	1	1
Industry STD Half Coupling (P/N Prefix KP6)	6.68	6.68	7.78	11.34	14.24	21.54	32.64	42.47	55.08	132.27	180.22	280.76
	25	25	25	25	25	25	10	10	5	5	4	5
Traditional ISO 49 Heavy Pattern Half Coupling (P/N Prefix K6)	9.13	9.13	10.62	15.52	19.45	29.39	44.57	57.98	75.22	180.56	246.04	383.32
	25	25	25	25	25	25	10	10	5	5	4	5
Half Coupling - MSS (P/N Prefix SWM6 & M6)	9.13	9.13	10.62	15.52	19.45	29.39	44.57	57.98	75.22	180.56	246.04	383.32
	25	25	25	25	25	25	10	10	5	5	4	5
Reducing Coupling	—	17.11	19.00	22.41	28.75*	47.46	61.25*	81.82	136.43	282.43	384.25	637.12
	—	25	25	25	25	25	10	10	5	3	4	2

Numbers in orange indicate standard carton (box) quantities.

*Certain fittings in these size categories carry higher list prices and others carry no list price and are priced on application (POA).

Above MSS SP-114 pattern fittings each carry a separate discount structure in both the 150# MSS SP-114 threaded fittings and 150# MSS SP-114 socket weld fittings. They may also have variations in list pricing from their standard pattern counterpart. Contact a sales associate for further details. Above standard pattern 150# cast threaded fittings each carry a separate discount structure.

We reserve the right to change the quantities to standard packaging on staple items unless you specifically state "do not increase." For the Master Carton (Box) Quantity List, please visit meritbrass.com/pricesheets.

Some items not shown may be available upon request. Some items and sizes may be discontinued when stock is depleted and may require a minimum order quantity. Certain inventory limitations may apply. Priced on application (POA). All prices subject to change without notice.

Every precaution has been taken in preparing this sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. For list prices in Excel, please download by logging onto meritbrass.com/pricesheets. Contact our Sales Team for details at sales@meritbrass.com.

TYPE 316. Threaded & Socket Weld Stainless Steel

150 LB. Cast Fittings

Description	Size I.P.S.											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1¼"	1½"	2"	2½"	3"	4"
Hex Bushing	—	10.43	12.07*	13.99*	20.77*	29.61*	57.21*	67.64*	96.06*	161.37*	248.12*	425.86
	—	25	25	25	25	25	25	25	10	5	5	5
Cap	8.77	11.81	13.94	16.13	18.50	27.87	54.19	69.49	88.95	156.00	204.27	338.71
	25	25	25	25	25	10	10	10	5	7	8	4
Sq. Head Plug	6.70	8.52	11.20	15.62	19.37	23.83	55.67	61.54	84.91	135.23	164.40	343.85
	25	25	25	25	25	25	25	25	10	5	5	1
Hex Head Plug	8.53	8.53	9.63	15.92	20.01	31.86	54.43	64.44	92.97	147.89	189.76	404.74
	25	25	25	25	25	10	10	10	10	5	5	4
Locknut	31.71	31.71	31.71	31.71	39.80	44.70	89.56	89.56	98.27	124.63	153.14	246.43
	25	25	25	25	25	10	10	10	10	5	5	12
Union	53.58	53.58	54.50	59.75	72.94	112.87	192.21	214.80	256.16	642.89	893.91	1522.81
	25	25	25	25	25	10	5	5	4	4	2	1
Welding Spud	37.80	40.85	44.99	60.07	66.14	80.21	81.89	88.07	92.75	117.70	138.67	281.13
	25	25	25	25	25	10	10	10	10	5	5	5
Union Elbow (P/N Prefix KFM615)	71.12	83.57	100.43	145.39	155.83	247.61	387.20	435.86	669.43	—	—	—
	25	25	25	25	10	10	5	1	1	—	—	—
"True" Wye (P/N Prefix KMC622)	25.00	30.95	38.07	53.53	72.57	114.80	170.58	191.46	262.90	—	—	—
	25	25	25	10	5	5	5	5	3	—	—	—
Reducing 90° Elbow (P/N Prefix KMC601)	—	30.62	37.36	41.47	59.05	74.10	124.61	166.02	209.97*	—	—	—
	—	25	25	25	25	10	5	5	5	—	—	—
Reducing Tee (P/N Prefix KMC606)	—	38.42	50.77	52.40	77.34	97.51	190.36*	231.04	275.57	—	—	—
	—	25	25	25	25	10	5	5	3	—	—	—
Hex Nipples (P/N Prefix KMM623)	13.87	23.84	31.65	44.40	58.10	80.93	126.45	143.20	190.18	275.64	333.92	—
	25	25	25	25	25	10	5	10	5	3	2	—
Reducing Hex Nipples (P/N Prefix KMM623)	—	26.23	34.83	48.75	63.93	88.85	139.14	157.50	209.19	—	—	—
	—	25	25	25	25	25/10	10	10/5	10/5	—	—	—

Numbers in orange indicate standard carton (box) quantities.

*Certain fittings in these size categories carry higher list prices and others carry no list price and are priced on application (POA).

Above MSS SP-114 pattern fittings each carry a separate discount structure in both the 150# MSS SP-114 threaded fittings and 150# MSS SP-114 socket weld fittings. They may also have variations in list pricing from their standard pattern counterpart. Contact a sales associate for further details. Above standard pattern 150# cast threaded fittings each carry a separate discount structure.

We reserve the right to change the quantities to standard packaging on staple items unless you specifically state "do not increase." For the Master Carton (Box) Quantity List, please visit meritbrass.com/pricesheets.

Some items not shown may be available upon request. Some items and sizes may be discontinued when stock is depleted and may require a minimum order quantity. Certain inventory limitations may apply. Priced on application (POA). All prices subject to change without notice.

Every precaution has been taken in preparing this sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. For list prices in Excel, please download by logging onto meritbrass.com/pricesheets. Contact our Sales Team for details at sales@meritbrass.com.

TYPE 304. Barstock Stainless Steel

1000 LB. Threaded Fittings

Description	Size I.P.S.											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1¼"	1½"	2"	2½"	3"	4"
Straight Coupling	5.43	6.68	7.85	10.67	14.21	23.34	33.1	40.05	63.07	—	—	—
Half Coupling	2.98	3.65	4.1	5.68	7.53	13.21	19.26	24.74	33.72	—	128.01	—
Reducing Coupling	—	7.55	8.83	11.05	14.25	24.98	51.02	56.43	87.89	—	—	—
Hex Bushing	—	6.98	7.2	9.47	13.02	18.84	36.57	47.37	68.43	124.64	183.77	—
Cap	4.96	4.96	6.71	6.89	10.02	14.72	40.33	46.6	59.06	—	—	—
Sq. Head Plug	5.12	5.83	7.34	8.79	11.85	18.19	41.96	44.76	52.29	—	—	—
Hex Head Plug	4.03	4.17	5.23	6.96	9.79	16.36	33.05	41.16	63.73	106.54	137.66	—
Union	24.98	24.98	29.97	37.4	51.22	74.36	136.62	160.62	202.77	—	—	—

TYPE 316. Barstock Stainless Steel

1000 LB. Threaded Fittings

Description	Size I.P.S.											
	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1¼"	1½"	2"	2½"	3"	4"
Straight Coupling	5.96	7.25	8.37	11.32	15.74	25.55	38.79	49.51	70.82	316.98	254.33	387.66
Half Coupling	3.89	4.01	4.42	6.38	9.26	15.06	22.82	30.48	39.70	206.09	147.94	238.01
Reducing Coupling	—	9.86	11.75	16.00	20.40	33.76	56.80	64.05	103.76	365.46	544.88	959.94
Hex Bushing	—	7.31	7.68	10.52	14.23	22.12	48.03	56.86	80.78	156.09	199.31	—
Cap	6.40	6.40	8.53	9.21	13.48	20.71	61.19	66.89	79.34	222.33	187.62	260.60
Sq. Head Plug	5.33	5.33	7.81	9.54	13.19	19.52	47.03	51.06	63.82	—	—	—
Hex Head Plug	4.39	4.61	5.49	7.95	11.41	18.75	42.81	53.17	79.67	166.35	214.95	—
Union	26.17	26.17	31.84	40.02	56.43	81.38	145.37	174.26	230.20	678.00	644.49	1406.42

Above 1000# barstock threaded fittings each carry a separate discount structure.

We reserve the right to change the quantities to standard packaging on staple items unless you specifically state "do not increase." For the Master Carton (Box) Quantity List, please visit meritbrass.com/pricesheets.

Some items not shown may be available upon request. Some items and sizes may be discontinued when stock is depleted and may require a minimum order quantity. Certain inventory limitations may apply. Priced on application (POA). All prices subject to change without notice.

Every precaution has been taken in preparing this sheet. Merit Brass Company cannot be held responsible for omissions or typographical errors. For list prices in Excel, please download by logging onto meritbrass.com/pricesheets. Contact our Sales Team for details at sales@meritbrass.com.

LOCATIONS

SPARKS DISTRIBUTION CENTER
200 Vista Boulevard Suite #106
Sparks, NV 89434


LONG BEACH PIPE DEPOT
2396 E. Artesia Blvd
Long Beach, CA 90805

DALLAS DISTRIBUTION CENTER
10614 King William Drive
Dallas, TX 75220

CLEVELAND HEADQUARTERS
One Merit Drive/PO Box 43127
Cleveland, OH 44143


BIRMINGHAM DISTRIBUTION CENTER
220 Oxmoor Court
Birmingham, AL 35209

HOUSTON DISTRIBUTION CENTER
4680 S. Sam Houston Pkwy W, Suite 120
Houston, TX 77053




SHIPPING TIMES

UPS



1 Day 2 Days 3 Days

FedEx



1 Day 2 Days 3 Days 4 Days

*FedEx is Merit's Primary Carrier

LEARN MORE



800.726.9800

Follow us on [f](#) [X](#) [in](#) [@](#) [v](#) [p](#)

Merit Brass Headquarters Has An ISO 9001:2015 Registered Quality Management System

www.meritbrass.com
www.mbwebxpress.com
contactus@meritbrass.com